

In the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

- 1 1. (Currently Amended) A compressor of a multiplier comprising:
2 a first compressor, wherein said first compressor comprises:
3 a first plurality of inputs;
4 a first summation output;
5 a first carry bit output; and
6 a first plurality of transistor paths connecting each of
7 said first plurality of inputs to said summation output, wherein a
8 first compressor critical transistor stage path level within said
9 first compressor is ~~less than seven~~ three;
10 a second carry bit output;
11 a second plurality of transistor paths connecting each of said
12 first plurality of inputs to said second carry bit output; and
13 a successive compressor, wherein said successive compressor
14 comprises:
15 a second plurality of inputs;
16 a second summation output; and
17 said compressor of a multiplier further comprising:
18 a plurality of successive transistor paths connecting at
19 least one of said first plurality of inputs to said first carry bit
20 output of said first compressor, connecting said first carry bit
21 output to at least one of said second plurality of inputs between
22 said first compressor and said second compressor and connecting at
23 least one of the second plurality of inputs to said second
24 summation output of said successive compressor, wherein a
25 successive compressor critical transistor stage path level within
26 said successive compressor is ~~less than eight~~ three ;
27 wherein each of said first plurality of transistor paths, each
28 of said second plurality of transistor paths, and each of said

29 plurality of successive transistor paths comprises a plurality of
30 switches and a plurality of inverters, said switches and said
31 inverters form a plurality of logic stages for each of said first
32 plurality of inputs.

2 to 4. (Canceled)

1 5. (Currently Amended) The compressor of claim 4 1, wherein at
2 least one of said logic stages for at least one of said first
3 plurality of inputs is a transfer gate XOR stage and at least one
4 of said logic stages for at least one of said first plurality of
5 inputs is a transfer gate XNOR stage.

1 6. (Currently Amended) The compressor of claim ~~3~~ 1, wherein when
2 one of said first plurality of inputs is connected to a source of
3 one said switches, said input is not connected to a gate of another
4 of said switches, and when one of said first plurality of inputs is
5 connected to a gate of one said switches, said input is not
6 connected to a source of another of said switches.

1 7. (Currently Amended) The compressor of claim ~~3~~ 1, wherein a
2 drain of each of said switches is not connected to a source of
3 another of said switches.

1 8. (Currently Amended) The compressor of claim 4 1, wherein when
2 one of said inverters within one of said logic stages is connected
3 to a source of one of said switches within the same logic stage as
4 said inverter, said inverter is not connected to a gate of another
5 of said switches within the same logic stage as said inverter, and
6 when one of said inverters within one of said logic stages is
7 connected to a gate of one of said switches within the same logic
8 stage as said inverter, said inverter is not connected to a source

9 of another of said switches within the same logic stage as said
10 inverter.

9. (Canceled)

1 10. (Currently Amended) ~~The~~ A compressor of claim 2 multiplier
2 comprising:

3 a first compressor, wherein said first compressor comprises:
4 a first plurality of inputs;
5 a first summation output;
6 a first carry bit output; and
7 a first plurality of transistor paths connecting each of
8 said first plurality of inputs to said summation output, wherein
9 said a first compressor critical transistor stage path level within
10 said first compressor is six; and

11 a successive compressor, wherein said successive compressor
12 comprises:

13 a second plurality of inputs;
14 a second summation output; and

15 said compressor of a multiplier further comprising:

16 a plurality of successive transistor paths connecting at
17 least one of said first plurality of inputs to said first carry bit
18 output of said first compressor, connecting said first carry bit
19 output to at least one of said second plurality of inputs between
20 said first compressor and said second compressor and connecting at
21 least one of the second plurality of inputs to said second
22 summation output of said successive compressor, said a successive
23 compressor critical transistor stage path level within said
24 successive compressor is seven.

1 11. (Original) The compressor of claim 10, wherein a number of
2 said first plurality of inputs is five.

1 12. (Currently Amended) The compressor of claim 4 1, wherein a
2 first compressor critical logic stage path level is less than four
3 and a successive compressor critical logic stage path level is less
4 than four.

1 13. (Currently Amended) The compressor of claim 3 1, wherein a
2 number of binary ones in the first plurality of inputs is the sum
3 of two times the first carry bit output, two times the second carry
4 bit output, and the summation output.

1 14. (Original) The compressor of claim 13, wherein the summation
2 output, the second carry bit output, and the first carry bit
3 output, are logically expressed as

4
$$So = ((Bi \oplus Ci) \oplus (Di \oplus Ai)) \oplus Xi;$$

5
$$Co = ((Bi \oplus Ci) \oplus (Di \oplus Ai)) \cdot Xi + \overline{((Bi \oplus Ci) \oplus (Di \oplus Ai))}$$

6
$$\cdot Ai; \text{ and}$$

7
$$Xo = (Bi \oplus Ci) \cdot Di + \overline{(Bi \oplus Ci)} \cdot Bi.$$

Claims 15 to 36. (Canceled)